



PIANTA ANTITRAUMA IN GOMMA/RUBBER ANTI-TRAUMA PLANT

gomma antitrauma/rubber anti-trauma :

□ altezza di caduta h 11 cm mq. 16.87/Fall height 11 cm sq.m. 16.87

□ area libera da impedimenti (nessun cordolo, oggetto o dislivello) minimo prato/terreno naturale/  
Area free of obstructions (no curbs, objects or unevenness) minimum lawn/natural terrain

all'interno dell' area di impatto non deve essere presente nessun oggetto, ostacolo o dislivello/  
within the impact area there shall be no object, obstacle or height difference



! IN CASO DI ANTITRAUMA COLATO!/! IN CASE OF CAST RUBBER ANTITRAUMA:

L'applicazione del materiale antitrauma colato deve garantire uno spessore uniforme su tutta la superficie di impatto/Application of the poured anti-trauma material should ensure uniform thickness over the entire impact surface.

! Per approfondimenti consultare la scheda sul posizionamento dei cordoli dettagliata in allegato/See the detailed curb placement sheet attached for more details.

✚ Origine/Source

| modifiche / amendments : |           |     |                         |        | scala / scale : |  | misure espresse in / dimensions are established in : |  | denom. / name :                                                      |  |
|--------------------------|-----------|-----|-------------------------|--------|-----------------|--|------------------------------------------------------|--|----------------------------------------------------------------------|--|
| nr°                      | data/date | pos | descrizione/description | autore |                 |  | cm.                                                  |  | Pianta Antitrauma in Gomma / Rubber Safety Matting Plant             |  |
| 01                       |           |     |                         |        |                 |  |                                                      |  | nr. dis. / draft nr. : xsp168                                        |  |
| 02                       |           |     |                         |        |                 |  |                                                      |  | codice / code : xsp168                                               |  |
| 03                       |           |     |                         |        |                 |  |                                                      |  | luogo / place : Mezzolombardo (TN)                                   |  |
| 04                       |           |     |                         |        |                 |  |                                                      |  | data / date : 7/01/2025                                              |  |
|                          |           |     |                         |        |                 |  |                                                      |  | esecuzione/verifica/ approvazione :<br>created/checked/approved by : |  |